lincom — Linear combinations of parameters

Description	Menu	Syntax	Options
Remarks and examples	Stored results	Also see	

Description

Title

lincom is a postestimation command for use after sem, gsem, and nearly all Stata estimation commands.

lincom computes point estimates, standard errors, z statistics, p-values, and confidence intervals for linear combinations of the estimated parameters.

After sem and gsem, you must use the $_b[]$ coefficient notation; you cannot refer to variables by using shortcuts to obtain coefficients on variables.

See [R] lincom.

Menu

```
Statistics > SEM (structural equation modeling) > Testing and CIs > Linear combinations of parameters
```

Syntax

```
lincom exp [, options]
```

Options

See Options in [R] lincom.

Remarks and examples

stata.com

lincom works in the metric of SEM, which is to say path coefficients, variances, and covariances. If you want to frame your linear combinations in terms of standardized coefficients and correlations, and you fit the model with sem, not gsem, then prefix lincom with estat stdize:; see [SEM] estat stdize.

Stored results

See Stored results in [R] lincom.

Also see

- [R] lincom Linear combinations of parameters
- [SEM] estat stdize Test standardized parameters

[SEM] nlcom — Nonlinear combinations of parameters

[SEM] test — Wald test of linear hypotheses

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow and NetCourseNow are trademarks of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright \bigcirc 1985–2023 StataCorp LLC, College Station, TX, USA. All rights reserved.



For suggested citations, see the FAQ on citing Stata documentation.